

# Notice of Allowability

Application No.

10/055,403

Examiner

TAN N TRAN

Applicant(s)

NAGAI ET AL.

Art Unit

2826

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 03/29/04.
2. ☒ The allowed claim(s) is/are 1-3, 11-14 and 21-32.
3. ☒ The drawings filed on 22 January 2002 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

*Minhloan Tran*  
**Minhloan Tran**  
**Primary Examiner**  
**Art Unit 2826**

## **DETAILED ACTION**

### **Reasons for Allowance**

1. The following is an examiner's statement of reasons for allowance:

Claims 1-3,11-14,21-32 are allowable over the prior art of record, because none of these references disclose or can be combined to yield the claimed invention such as the light emitting member is made up of a plurality of light-emitting diodes that are set at frequent intervals on the main surface of the flat polygonal member, and at least three sets of terminals, each set of terminals being provided on a different side of a periphery of the polygonal member for making connections external to the light emitting unit as recited in claims 1,24,26, at least two light-emitting unit wherein each light-emitting unit having one side of a flat polygonal member of a light emitting unit on which a set of terminals has been provided is set facing one side of a polygonal member of another light-emitting unit on which a set of terminals has been provided, and corresponding terminals on the facing sides of the two light-emitting units are electrically connected as recited in claim 11, the light-emitting member is made of a plurality of light-emitting elements that emit light of different colors formed on a main surface of the flat polygonal member, at least three sets of terminals, each set of terminals being provided on a different side of a periphery of the polygonal member, and the set of terminals includes a common terminal and color terminals that correspond to the different colors, and the wiring pattern connects an electrode at one of a low-potential end and a high-potential end of each

Art Unit: 2826

group of series-connected light-emitting elements to the common terminal as recited in claims 21, 22, and a wiring pattern which is provided to the polygonal member to connect terminals of equal polarities with each other in the at least three sets of terminals as recited in claim 28.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled ""Comments on Statement of Reasons for Allowance."

32. Any inquiry concerning this communication or earlier communication from the examiner should be directed to Tan Tran whose telephone number is (571) 272-1923. The examiner can normally be reached on M-F 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272-1915. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for after final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

TT

April 2004